



TR Rail System

Same material, but stronger
Easier and faster installation

Quickly


- Automated production line
- Professional package team
- Certified production process

Premium materials

- Anodized Al6005-T5
- SUS 304 fasteners

Standard Or OEM service

- Standard or customized length
- Standard or customized Rails
- Standard or Customized Rail Kits



1

4 heights for option

4 heights to meet different snow and wind zones

2

Stronger


Made by Al 6005-T5
Optimal mechanics design
Same material, but stronger

3

Easy

T bolt or clip adapter
rail fixing way
Easy and fast installation

Rails



Length: 4200/4600 mm or customized

- **WQ-TR45-S**
Silver T45 rail
- **WQ-TR50-S**
Silver T50 rail
- **WQ-TR52-S**
Silver T52 rail
- **WQ-TR55-S**
Silver T55 rail








Length: 4200/4600 mm or customized

- **WQ-TR45-B**
Black T45 rail
- **WQ-TR50-B**
Black T50 rail
- **WQ-TR52-B**
Black T52 rail
- **WQ-TR55-B**
Black T55 rail

Drawing

Unit: mm





1

Universal

Universal mid /end clamps
for 30-35mm thick modules

2

Easy Fixing

Clamps are self-standing
One tool for all kits
Easy fixed in side or up

3

Strong & Safety

Grounding clip integrated
Non eccentric force problem
Wide rail splice kit used

TR Kits



• **WQ-TRM-3035-S**
Silver TR Mid Clamp



• **WQ-TRM-3035-B**
Black TR Mid Clamp



• **WQ-TRE-3035-S**
Silver TR End Clamp



• **WQ-TRE-3035-B**
Black TR End Clamp




• **WQ-TRxx-RSK-S**
Silver TR Rail
Splice Kits



• **WQ-TRxx-RSK-B**
Black TR Rail
Splice Kits



• **WQ-TR-GL-S**
Silver TR
Grounding Lug



• **WQ-TR-GL-B**
Black TR
Grounding Lug

Fixing Show


• Grounding Lug fixing



• Mid Clamp fixing



• Rail Splice Kit fixing



1

3 rules for choice

T bolt fixing way
Clip Rail fixing way
Common Rail fixing way

2

High matching

For tile roof hooks adapter choice
For metal roof attachments adapter choice
For TR and CR rails fixing way choice

3


Easy

All fixed in side or up,
Easy to achieve portrait and landscape
with right adapter

TR Adapters




• **WQ-TB20-0825**
20 head T Bolt M8*25



T bolt fixing




• **WQ-T/CR-RA**
Rotate Rail Fix Adapter



Rotate Adapter fixing




• **WQ-T/CR-SA**
Side Rail Fix Adapter



T Side Adapter fixing



• **WQ-T/CR-CA**
Common Rail Fix Adapter



Common Adapter fixing